Missouri Department of Natural Resources



PUBLIC NOTICE

DRAFT MISSOURI STATE OPERATING PERMIT

DATE: April 21, 2006

In accordance with the state Clean Water Law, Chapter 644, RSMo, Clean Water Commission regulation 10 CSR 20-6.010, and the federal Clean Water Act, the applicants listed herein have applied for authorization to either discharge to waters of the state or to operate a no-discharge wastewater treatment facility. The proposed permits for these operations are consistent with applicable water quality standards, effluent standards and/or treatment requirements or suitable timetables to meet these requirements (see 10 CSR 20-7.015 and 7.031). All permits will be issued for a period of five years, unless noted otherwise in the Public Notice for that discharge.

On the basis of preliminary staff review and the application of applicable standards and regulations, the Missouri Department of Natural Resources (MDNR), as administrative agent for the Missouri Clean Water Commission, proposes to issue a permit(s) subject to certain effluent limitations, schedules, and special conditions. The proposed determinations are tentative pending public comment.

Persons wishing to comment on the proposed permit conditions are invited to submit them in writing to the Department of Natural Resources, St. Louis Regional Office, 7545 South Lindbergh, Suite 210, St. Louis, Missouri 63125, ATTN: Thomas M. Siegel, Chief, Permits and Engineering. Please include the permit number in all comment letters.

Comments should be confined to the issues relating to the proposed action and permit(s) and the effect on water quality. The MDNR may not consider as relevant comments or objections to a permit based on issues outside the authority of the Clean Water Commission, (see Curdt v. Mo. Clean Water Commission, 586 S.W.2d 58 Mo. App. 1979).

All comments must be postmarked by $\underline{\text{May }21,\ 2006}$ or received in our office by 5:00 p.m. on $\underline{\text{May }24,\ 2006}$. The requirement of a signed document makes it impossible to accept email comments for consideration at this time. Comments will be considered in the formulation of all final determinations regarding the applications. If response to this notice indicates significant public interest, a public meeting or hearing may be held after due notice for the purpose of receiving public comment on the proposed permit or determination. Public hearings and/or issuance of the permit will be conducted or processed according to 10 CSR 20-6.020.

Copies of all draft permits and other information including copies of applicable regulations are available for inspection and copying at DNR's website, http://www.dnr.mo.gov/env/wpp/wpcp-pn.htm, or at the Department of Natural Resources, St. Louis Regional Office, 7545 S. Lindbergh, Suite 210, St. Louis, Missouri 63125, between the hours of 8:00 a.m. and 5:00 p.m., Monday through Friday.

Public Notice Date: April 21, 2006 Permit Number: MO-0121975 St. Louis Regional Office				
FACILITY NAME AND ADDRESS	NAME AND ADDRESS OF OWNER			
Washington SLF Silt Pond 925 Struckhoff Lane	Struckhoff Sanitary Landfill, LLC c/o John Struckhoff			
Washington, MO 63090	1465 Rock Lane Washington, MO 63090			
RECEIVING STREAM & LEGAL DESCRIPTION	TYPE OF DISCHARGE			
Tributary to St. Johns Creek (C) NE ¼, NW ¼, Sec.8, T44N, R1W, Franklin County	Industrial (reissue)			

STATE OF MISSOURI

DEPARTMENT OF NATURAL RESOURCES

MISSOURI CLEAN WATER COMMISSION



MISSOURI STATE OPERATING PERMIT

In compliance with the Missouri Pollution Control Act (Public La	Clean Water Law, (Chapter 644 I w 92-500, 92 nd Congress) as amen	R.S. Mo. as amended, hereinafter, the Law), and the Federal Water nded,
Permit No.	MO-0121975	
Owner:	Struckhoff Sanitary Land	fill, LLC Vo John Struckhoff
Address:	1465 Rock Lane, Washing	gton MO 03090
Continuing Authority: Address:	Same as above Same as above	
Facility Name:	Washington SLF Silt Pon	المال
Facility Address:	925 Struckhoff Lane, Was	
Legal Description: Latitude/Longitude:	NE 1, NW 1/4, Sec.8, T44 +38:587/08/-091.06008	N, R1W, Franklin County
Receiving Stream:	Tributary to St. Johns Cre	eek (C)
First Classified Stream and ID: USGS Basin & Sub-watershed N	Tributary to St. Johns Cre (10300200 - 037001)	
as set forth herein:	le facility described herein, in acc	cordance with the efficient inilitations and monitoring requirements
FACILITY DESCRIPTION]	
Outfall #001 – Landfill Silt Pond Stormwater run-off settling basin Design flow is 80.0 million gallo	1.	
		ouri Clean Water Law and the National Pollutant Discharge ais permit may be appealed in accordance with Section 644.051.6 o
Effective Date		vle Childers, Director, Department of Natural Resources cutive Secretary, Clean Water Commission
Expiration Date		te Struckhoff, Director, St. Louis Regional Office

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

PAGE NUMBER 2 of 4

PERMIT NUMBER MO-0121975

The permittee is authorized to discharge from outfall(s) with serial number(s) as specified in the application for this permit. The final effluent limitations shall become effective upon issuance and remain in effect until expiration of the permit. Such discharges shall be controlled, limited and monitored by the permittee as specified below:

(OUTFALL NUMBER AND EFFLUENT		FINAL EFFLUENT LIMITATIONS			MONITORING REQUIREMENTS	
PARAMETERS)	UNITS	DAILY MAXIMUM	WEEKLY AVERAGE	MONTHLY AVERAGE	MEASUREMENT FREQUENCY	SAMPLE TYPE
OUTFALL #001						
Rainfall	inches	*		*	Daily	Measurement
Flow	MGD	*		*	Once/ Month	Estimate
Ph - Units	SU	***		***	Once/ Quarter**	grab
Total Suspended Solids (TSS)	mg/L	80		60	Once/ Quarter**	grab
Chemical oxygen Demand (COD)	mg/L	120		90	Once/ Quarter**	grab
Settleable Solids	mL/L/hr	1.5		1.0	Once/ Quarter**	grab
Total Dissolved Solids	mg/L	*		* /	Once/ Quarter**	grab
Conductivity	μmhos/cm- 25°C	*		* 1	Once/ Quarter**	grab
Total Petroleum Hydrocarbons (volatile)	mg/L	10		10	Once/ Quarter**	grab
Total Petroleum Hydrocarbons (semi-volatile)	mg/L	10		10	Once/ Quarter**	grab
Oil & Grease	mg/L	15		10	Once/ Quarter**	grab
MONITORING REPORTS SHALL BE SU	BMITTED QUA	RTERLY; THE	FIRST RE	PORT IS DUE		
OUTFALL #001 (continued)						

OUTFALL #001 (continued)						
Total Hardness	mg/L	*		*	Annually****	grab
Arsenic, Total Recoverable	mg/L	*		*	Annually****	grab
Chromium, Total Recoverable	mg/L	*		*	Annually****	grab
Copper, Total Recoverable	mg/L	*		*	Annually****	grab
Mercury, Total Recoverable	mg/L	*		*	Annually****	grab
Lead, Total Recoverable	mg/L	*		*	Annually****	grab
Beryllium, Total Recoverable	mg/L	*		*	Annually****	grab
Silver, Total Recoverable	mg/L	*		*	Annually****	grab
Zinc, Total Recoverable	mg/L	*		*	Annually****	grab
		ſ	1			

THERE SHALL BE NO DISCHARGE OF FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS. MONITORING REPORTS SHALL BE SUBMITTED ANNUALLY; THE FIRST REPORT IS DUE _____.

B. STANDARD CONDITIONS

IN ADDITION TO SPECIFIED CONDITIONS STATED HEREIN, THIS PERMIT IS SUBJECT TO THE ATTACHED <u>Parts I & III</u> STANDARD CONDITIONS DATED <u>October 1, 1980 and August 15, 1994</u>, AND HEREBY INCORPORATED AS THOUGH FULLY SET FORTH HEREIN.

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS (Continued)

- * Monitoring requirement only.
- ** Sample once per quarter during the months of February, May, August and November.
- *** pH is measured in pH units and is not to be averaged. The pH is limited to the range of 6.0 to 9.0 pH units.
- **** Sample once per year during the month of September.

C. SPECIAL CONDITIONS

- 1. This permit may be reopened and modified, or alternatively revoked and reissued, to:
 - a. Comply with any applicable effluent standard or limitation issued or approved under Sections 301(b)(2)(C) and (D), 304(b)(2), and 307(a) (2) of the Clean Water Act, if the effluent standard or limitation so issued or approved:
 - (1) contains different conditions or is otherwise more stringent than any effluent limitation in the permit; or
 - (2) controls any pollutant not limited in the permit.
 - b. Incorporate new or modified effluent limitations or other conditions, if the result of a waste load allocation study, toxicity test or other information indicates changes are necessary to assure compliance with Missouri's Water Quality Standards.
 - c. Incorporate new or modified effluent limitations or other conditions if, as the result of a watershed analysis, a Total Maximum Daily Load (TMDL) limitation is developed for the receiving waters which are currently included in Missouri's list of waters of the state not fully achieving the state's water quality standards, also called the 303(d) list.

The permit as modified or reissued under this paragraph shall also contain any other requirements of the Clean Water Act then applicable.

- 2. All outfalls must be clearly marked in the field.
- 3. Permittee will cease discharge by connection to areawide wastewater treatment system within 90 days of notice of its availability.
- 4. Changes in Discharges of Toxic Substances.

The permittee shall notify the Director as soon as it knows or has reason to believe:

- a. That any activity has occurred or will occur which would result in the discharge of any toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels:"
 - (1) One hundred micrograms per liter (100 μg/L);
 - (2) Two hundred micrograms per liter (200 µg/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 µg/L) for 2,5 dinitrophenol and for 2-methyl-4, 6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;
 - (3) Five (5) times the maximum concentration value reported for the pollutant in the permit application;
 - (4) The level established in Rart A of the permit by the Director.
- b. That they have begun or expect to begin to use or manufacture as an intermediate or final product or byproduct any toxic pollutant, which was not reported in the permit application.
- c. That the effluent limit established in part A of the permit will be exceeded.

6. Water Quality Standards.

- a. Discharges to waters of the state shall not cause a violation of water quality standards rule under 10 CSR 20-7.031, including both specific and general criteria.
- b. General Criteria. The following general water quality criteria shall be applicable to all waters of the state at all times including mixing zones. No water contaminant, by itself or in combination with other substances, shall prevent the waters of the state from meeting the following conditions:
 - (1) Waters shall be free from substances in sufficient amounts to cause the formation of putrescent, unsightly or harmful bottom deposits or prevent full maintenance of beneficial uses;
 - (2) Waters shall be free from oil, scum and floating debris in sufficient amounts to be unsightly or prevent full maintenance of beneficial uses;
 - (3) Waters shall be free from substances in sufficient amounts to cause unsightly color or turbidity, offensive odor or prevent full maintenance of beneficial uses;
 - (4) Waters shall be free from substances or conditions in sufficient amounts to result in toxicity to human, animal or aquatic life:
 - (5) There shall be no significant human health hazard from incidental contact with the water;
 - (6) There shall be no acute toxicity to livestock or wildlife watering;
 - (7) Waters shall be free from physical, chemical or hydrologic changes that would impair the natural biological community;
 - (8) Waters shall be free from used tires, car bodies, appliances, demolition debris, used vehicles or equipment and solid waste as defined in Missouri's Solid Waste Law, section 260.200, RSMo, except as the use of such materials is specifically permitted pursuant to section 260.200-260.247.

C. SPECIAL CONDITIONS (continued)

- 7. Report as no-discharge when a discharge does not occur during the report period.
- 8. Sludge and Biosolids Use For Domestic Wastewater Treatment Facilities
 - a. Permittee shall comply with the pollutant limitations, monitoring, reporting, and other requirements in accordance with the attached permit Standard Conditions.
 - b. If sludge is not removed by a contract hauler, permittee is authorized to land apply biosolids. Permit Standard Conditions, Part III shall apply to the land application of biosolids. Permittee shall notify the department at least 180 days prior to the planned removal of biosolids. The department may require submittal of a biosolids management plan for department review and approval as determined appropriate on a case-by-case basis.
- 8. Activities performed to control erosion on the landfill site, i.e. mulching, seeding, terracing, etc., shall be described and submitted with the second (May) and fourth (November) quarter monitoring data reports. If erosion controls were not required and not performed, indicate "erosion controls were not necessary, or performed" on the report.



Date of Fact Sheet: February 28, 2006

Date of Public Notice: April 21, 2006

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT FACT SHEET

This Fact Sheet explains the applicable regulations, rationale for development of this permit and the public participation process.

NPDES PERMIT NUMBER: MO-0121975

FACILITY NAME: Washington SLF Silt Pond

OWNER NAME: Struckhoff Sanitary Landfill, LLC c/o John Struckhoff

LOCATION: NE¹/₄, NW¹/₄, Sec. 8, T44N, R 1W; Franklin County:

RECEIVING STREAM: Tributary to St. Johns Creek (C) (3337)

FACILITY CONTACT PERSON: Daniel E. Boyce TELEPHONE: (636) 390-1010

FACILITY DESCRIPTION AND RATIONALE

This facility is a single cell, settling pond to capture and reduce or eliminate the solids content of stormwater run-off from a solid waste landfill. Rainfall and flow will provide an indication of the efficiency of capture. Standard technology-based limits for pH and TSS from 20 CSR 20-7.015 (8) (B) 2. and 3. A. are believed necessary to protect the receiving stream. All other monitoring parameters were derived from the discharge monitoring report suite of parameters, required by the previous permit and conducted in September, 2005 and the Missouri Department of Natural Resources Water Pollution Control Permit Manual (Sanitary and Demolition Landfills), with the exception of Total Petroleum Hydrocarbon (volatile) and (semi-volatile). BETX, recommended by the permit manual, was replaced with TPH (volatile) which will identify volatile petroleum fractions such as gasoline and not specific components of gasoline like BETX (Benzene, Ethyl benzene, Toluene, and Xylene) and TPH (semi-volatile), which will capture a broad spectrum of compounds like diesel the and heavier compounds et al. kerosene, fuel oil, motor oil, etc; which BETX will not. The selected monitoring parameters are believed to have a reasonable potential of being exceeded based upon the monitoring event of September, 2005 or were selected based upon the best professional judgment of the permit writer as a relevant indicator.

This permit will be issued for a period of five years.

Location Map

